

PIREP Approval Criteria

To maintain consistency and uphold standards, United Virtual Airlines (UVA) follows specific criteria for Pilot Report (PIREP) approval. Pilots are required to adhere to the following guidelines: Note: Any PIREP routed for staff will be reviewed within 48 hours. If your PIREP has not been reviewed within that time please create a support ticket in the discord or email dpo@dlyuva.org.

Simulation Rate:

1. **CRUISE Phase Time Acceleration:**

- Pilots may use any simulation rate (time acceleration) during the CRUISE phase only, from top-of-climb (TOC) to top-of-descent (TOD).
- Time acceleration is strictly prohibited during taxi, take-off, climb, descent, approach, and landing.

2. **ATC Permission on VATSIM:**

- Pilots on VATSIM must receive permission from ATC before using time acceleration.

3. **Phases Jumping Prohibition:**

- Use of any feature allowing jumping between flight phases (e.g., to the next waypoint, top of descent, slewing) is strictly prohibited.

Landing Rate:

1. **Maximum Landing Rate:**

- Landing rate must not exceed -600 feet per minute (fpm).
- Multiple touchdowns must not exceed -600 fpm each.

Routing:

1. **smartCARS Routing Requirement:**

- Routing must be entered in smartCARS.
- Direct (airport to airport) routes are not permitted.

Flight Errors:

1. **Stalls, Overspeeds, Violations:**

- Stalls, overspeeds, and >250kts below 10,000 ft. MSL violations may lead to PIREP rejection, based on severity and/or duration. Exemptions to this must be documented and a reason given, reasons for exemptions are to include but not limited to:
 - On departure in a heavy aircraft where the climb out speed $V_2 + 10-20$ kts is greater than 250kts (265kts or greater will flag a violation in smartCARS)

- ATC instructions
- **MSFS2020/2024 users:**
 - note that using “Active Pause” registers as a stall; avoid using this feature during flight recording.

Fuel Guidelines:

1. **Minimum Fuel at Landing:**
 - At landing, fuel must be more than 2000 lbs. for all passenger transport aircraft.
2. **Reserve Fuel:**
 - Reserve fuel should be added before departure for emergency, holding, or unforeseen circumstances.
 - Using "Unlimited Fuel" option in any simulator is strictly prohibited.
 - In-flight refueling is NOT permitted and any PIREPs submitted with a logged inflight refueling will be rejected (at Hub Manager/Executive/Admin Staff discretion).

Staff:

1. **Discretionary Approval/Rejection:**
 - Staff may approve or reject a PIREP at their discretion.
 - A reason for rejection will always be provided in the comments section.
 - Any administrative team member may overrule a rejection if found unnecessary.
 - Pireps of any staff member must be reviewed by a member of the executive or administrative team.
2. **Self-Approval Prohibition:**
 - No staff member may accept their own PIREP.

Diversions:

1. **Notation Requirement:**
 - Pilots must note the diversion airport and reason in the “Comments” section of smartCARS if flight conditions are unsafe or in case of an emergency.

Slew Mode:

1. **Slew Mode Restriction:**
 - PIREPs showing slew mode toggled on at any time will be rejected.

Double Dipping:

1. **Hours Accrual Limitation:**
 - Accruing hours for another virtual airline during the same flight is strictly prohibited.
 - Violators may face PIREP rejection and possible disciplinary action by the Executive/Administration Team.

Airline & Aircraft Type Restrictions:

1. **General Requirements:**

- Pilots may fly any airline and aircraft type, considering fuel range, appropriate aircraft size for departure and arrival airports, and runway length.
- Substituting aircraft is allowed, but pilots must leave a comment in the “Comments” section of smartCARS before PIREP submission.

Charter Operations:

1. **Charters Creation Limitation:**

- Charters (also known as **Free Flights**) can only be created for routes not already in the scheduling system.
- Aircraft substitutions can be made through smartCARS, so charters/free flights should not be created solely for changing aircraft type.



Revision #15

Created 24 January 2024 22:51:46

Updated 25 February 2026 01:59:20 by UAL2 TJ W. | COO